



BENJAMIN OBDYKE
roof & wall products

VaporDry™ SA

vapor-permeable roof underlayment

benjaminobdyke.com | 800.523.5261

THE FUTURE OF ROOF PROTECTION

exterior protection is evolving, why shouldn't your roof?



advanced protection in ice & water locations




high service temp. supports all roofing types



acrylic adhesive for trusted fastener sealability



air tight for home efficiency



vapor permeance maximizes roof's drying potential

VaporDry™ SA | Vapor Permeable Roof Underlayment

Designed with the entire industry in mind, Benjamin Obdyke's latest innovation, VaporDry™ SA elevates the standard of modern roof protection.

VaporDry™ SA embraces state-of-the-art technology, with 100% fully continuous acrylic adhesive designed for ideal fastener sealability and vapor permeance. The unique combination of the permeable trilaminate underlayment and acrylic adhesive create a high performance roof assembly by maximizing the roof's drying potential while maintaining the life cycle of the entire roof deck.

Oh yeah, did we mention it's approved for all roofing types? You've never seen an underlayment like this...

Self-Adhered roofing membrane with vapor permeability

Continuous acrylic adhesive for fastener sealability

Approved for use with all roofing types with a pitch of 3:12 or greater

Ideal underlayment in combination with Cedar Breather



WIDTH

4.75 ft (1.45 m)

LENGTH

80 ft (24.38 m)

GROSS COVERAGE

380 sq. ft./roll

VAPOR PERMEABILITY

14 perms ASTM E96(a)

ADHESION

continuous acrylic

ASTM AC48

pass

SERVICE TEMPERATURE

250°F

CHECK OUT WALL PROTECTION SYSTEMS FROM BENJAMIN OBDYKE

For Technical Questions: 800.523.5261 or techsupport@obdyke.com

400 Babylon Rd. Suite A
Horsham, PA 19044

1.800.523.5261

©2023 Benjamin Obdyke Incorporated. Slicker®, FlatWrap®, HydroGap®,
InvisiWrap®, HydroFlash®, and HydroCorner® are registered trademarks
of Benjamin Obdyke Incorporated. REV 10/31/2023

